

Dr. Name _____

Phone # () _____ email _____

Address _____

City _____ State _____ ZIP _____

Patient Name _____

Male Female Deliver by 5 pm on _____ Call before starting case

PFM PFM Crown/Bridge NT Nickle-free Noble Hi-Noble Porcelain only

Metal Try-in Finish Prep Shade _____ Desired Shade _____

Facial design

- Full collar
- Thin collar
- Porc to margin
- Butt porc

Pontic design



Button: Yes No

If no occlusal clearance

- Metal occlusion
- Reduction coping
- Spot opposing

All Ceramic

- Tetra ZirCap crown bridge
- eMax crown bridge
- Lava crown bridge



Aesthetic Edge Studio by Tetra

- Feldspathic laminates
- eMax laminates/layered
- Zirconia crown/bridge
- eMax/layered
- Diagnostic waxups

Implants

- CAD CAM custom abutments
 Titanium Zirconia
- PFM implant crown
 Noble Alloy Hi Noble Alloy
- Prep your abutment
- Screw retained abutment, complete with all ceramic
- Screw retained porcelain to metal
- Hybrid
- Overdenture/bar


Other

- Temporary Acrylic Resin
- Cast reinforcement
- Denture repair
- Denture Cast Partial



Specific instructions

TOOTH NUMBER



Enclosures with this Rx Photo(s) Model(s) Shade tab Bite
 Analog Impression Implant parts Other _____

Tetra: Please send the following:

Boxes/Bags Other _____

Signature _____

License # _____